Table 1.34C Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Numbers in Thousands, 2011 and 2012

Type of Mental Health Treatment/Counseling ¹	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
RECEIVED ONLY ONE TREATMENT TYPE								
Inpatient	71	79	13	19	47	35	51	68
Outpatient	236	248	54	50	172	143	152	201
Prescription Medication	469	531	70	70	263	288	383	458
RECEIVED TWO TREATMENT TYPES								
Inpatient and Outpatient	35	26	8	11	22	12	24	20
Inpatient and Prescription Medication	62	63	12	14	33	26	51	56
Outpatient and Prescription Medication	373	365	55	57	213	229	287	284
RECEIVED ALL THREE TREATMENT TYPES								
Inpatient, Outpatient, and Prescription Medication	104	100	24	20	63	57	75	82

^{*}Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combinations of types of treatment information were excluded.

130501

Table 1.34D Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: Standard Errors of Percentages, 2011 and 2012

Type of Mental Health Treatment/Counseling ¹	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
RECEIVED ONLY ONE TREATMENT TYPE								
Inpatient	0.22	0.23	0.33	0.45	0.33	0.24	0.39	0.45
Outpatient	0.70	0.67	1.17	0.99	1.08	0.88	1.09	1.26
Prescription Medication	1.04	1.02	1.34	1.24	1.34	1.32	2.00	1.91
RECEIVED TWO TREATMENT TYPES								
Inpatient and Outpatient	0.11	0.08	0.21	0.26	0.15	0.08	0.18	0.13
Inpatient and Prescription Medication	0.20	0.19	0.32	0.33	0.23	0.17	0.39	0.37
Outpatient and Prescription Medication	0.94	0.90	1.16	1.11	1.16	1.25	1.79	1.64
RECEIVED ALL THREE TREATMENT TYPES								
Inpatient, Outpatient, and Prescription Medication	0.33	0.29	0.59	0.50	0.43	0.38	0.56	0.54

^{*}Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combinations of types of treatment information were excluded.

Table 1.34P Types of Mental Health Treatment/Counseling Received in the Past Year among Persons Aged 18 or Older Who Received Mental Health Treatment in the Past Year, by Age Group: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Type of Mental Health Treatment/Counseling ¹	Total (2011)	Total (2012)	Aged 18-25 (2011)	Aged 18-25 (2012)	Aged 26-49 (2011)	Aged 26-49 (2012)	Aged 50+ (2011)	Aged 50+ (2012)
RECEIVED ONLY ONE TREATMENT TYPE								
Inpatient	0.2453		0.0548		0.5376		0.1795	
Outpatient	0.4692		0.7711		0.0544		0.3878	
Prescription Medication	0.0275		0.6290		0.1016		0.1393	
RECEIVED TWO TREATMENT TYPES								
Inpatient and Outpatient	0.3023		0.5941		0.3614		0.3749	
Inpatient and Prescription Medication	0.7607		0.9206		0.3917		0.9588	
Outpatient and Prescription Medication	0.0755		0.9930		0.7396		0.0193	
RECEIVED ALL THREE TREATMENT TYPES								
Inpatient, Outpatient, and Prescription Medication	0.2828		0.2507		0.6226		0.5249	

^{*}Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

¹ Mental Health Treatment/Counseling is defined as having received inpatient care or outpatient care or having used prescription medication for problems with emotions, nerves, or mental health. Respondents were not to include treatment for drug or alcohol use. Respondents with unknown treatment/counseling or combinations of types of treatment information were excluded.